
## Singapore Mathematical Society

## Singapore Mathematical Olympiad (SMO) 2018

(Senior Section, Round 2 solutions)

1. (See Junior Section Round 2 Question 5 for the earlier part.) To complete the proof, we now show that n cannot be 3 or 4. First note that when a triangle and a square meet at the boundary, they meet at a vertex of the polygon and the angle at the vertex is  $150^{\circ}$ . Thus if there are both triangles and squares at the boundary, there are two  $150^{\circ}$  angles. This is not possible. Thus the boundary of the polygon formed consists entirely of triangles or squares. Therefore there are four possibilities: an equilateral triangle, a parallelogram, a trapezium both with angles  $60^{\circ}$ ,  $60^{\circ}$ ,  $120^{\circ}$ ,  $120^{\circ}$ , and a rectangle. For the rectangle, the boundary consists of squares. Removing the squares from the bottom layer either leaves nothing or another rectangle. This means that no triangle is used, a contradiction. For the first three cases, the boundary consists of only triangles. The bottom level consists of triangles arranged as shown in the figure below. Removing these triangles leaves a smaller figure of the same shape. We conclude that no square is used. Therefore n cannot be 3 or 4.



Alternatively, as before, there are four possible polygons. For the rectangle, the area A is an integer. The other three all have integral side lengths. Since the interior angles are either  $60^{\circ}$  or  $120^{\circ}$ , the height is a rational multiple of  $\sqrt{3}$ . Hence the area is of the form  $A = q\sqrt{3}$  where  $q \in \mathbb{Q}$ . If m triangles and n squares are used, then  $A = n + m\sqrt{3}/4$ . If A is an integer, m = 0, and if  $A = q\sqrt{3}$ , n = 0. Thus only triangles or squares are used.